
Appendix C Glossary



The author of this handbook is pleased to have errors pointed out and to receive suggestions for improvement and other comments. Please send all communications to: vc11recorder@hantsplants.net

Archive	A special status given to Records that are not to be shared with Exchange Partners by Synchronisation .
Atlas	Atlases portray information derived from Records (either Record locations or statistics derived from Records or Sites) against a Base Map of cartographic and other detail.
Base Map	Base Maps are maps used to provide the cartographic or schematic background detail for Atlases .
Backup	The process of taking a copy of your computer data and storing it securely away from your computer. Something that most people come to regret not doing at least once in their lives.
Catalogue	A way of bringing together species data from several different Schedules .
Coincidence Map	A map showing the distribution of two or more Taxa plotted together.
Column	A single item appearing consistently in all Rows of a database Table. Also known in Milton Common SU672009 Milton Common SU672007 Potchester SU622052 Potchester SU623046 Potchester Castle SU623045
Common Settings	A set of frequently used entries for data entry fields, stored in MapMate between data entry sessions and capable of being restored at will.
СИК	(Centre Unique Key.) A three-character code unique to each licensed copy of MapMate software. It identifies to other users the license owner of all data that he or she creates.
Data Browser	A window that allows viewing of data from the MapMate database in a grid layout. It is invoked by the Analysis option on the MapMate main toolbar, and by several other functions in MapMate.
Default Partner	The person with whom you would most frequently exchange data (by Sync File exchange).
Download	The receipt of a Sync File (from an Exchange Partner , or a Patch or Software Update from the MapMate web site).
Exchange Partner	Another MapMate licensee with whom one exchanges new and amended data through Sync Files .
Export	A method of sending data via text files to other applications such as spreadsheets, word processors, or a different biological recording package.
Field	A single item appearing consistently in all Rows of a database Table. Also known as A single item appearing consistently in all Rows of a database Table. Also known as a Column.

Filter	A constraint on the data (Records , Sites or Taxa) that will be displayed, analysed, or exchanged with data Exchange Partners .
F5 Query	A Query run from the data entry form, that opens the Data Browser and displays information matching all validated items currently entered in the data entry form.
F9 Custom Query	A Query like the F5 Query , but allowing the user to specify which Columns of records will be displayed.
GUK	(Global Unique Key.) A unique identifying code for data records anywhere in the MapMate system. Since it incorporates the CUK of the MapMate license, it is guaranteed to be unique across all MapMate installations provided that the same license is not used on more than one computer.
Hub	A user who is the focal point for collecting a redistributing records within a recording community. Hubs can be local sub-hubs to other Hubs at a regional or local level.
Import	A method of transferring data from other programs such as spreadsheets or other recording software into MapMate via text files.
Мар	An Atlas , Base Map, Coincidence Map or Special Map used to present data geographically.
My Configuration	The user's specified taxonomic and geographic areas of interest.
Patch	An update to the MapMate database or data management facilities delivered from the MapMate Web site and installed using the Replicator.
Quarantine	A special status that can be given to Records that have been imported from other sources, but have not yet been sanctioned for full integration into the data set or for sharing with Exchange Partners .
Query	A specification for extracting selected data from one or more (usually related) Tables in a database.
Rebuild	A reconstruction of an Atlas , required after there have been changes to the list of recorded Taxa in the area and species group(s) covered by the Atlas.
Record	(With capitalisation.) The details of a single taxon captured during a single recording incident at a single Site .
Reload	An update to an Atlas , required after some editing operations on the features making up the Atlas which will change its appearance.
record (all lower case)	See Row.
Replicator	A stand-alone program supplied as part of MapMate, which handles the transfer of data between Exchange Partners and the loading of Patches issued by MapMate Ltd. It can be run from within MapMate or directly from Windows.

Row	III Browse Recorders
	💷 🖻 SQL 🕨 🦳 🚧 😥 🦓 🔛 🤌 🔛 🖓
	Recorder Location Comment Dewis, Lady A.B.M. & Volkner, C. VC12, North Hampshire (Unknown) BSBI VC12 Records Brewis, Lady A.B.M. Keens, Miss W.M. AB - BSBI VC12 Re Brewis, Lady A.B.M., & Rye, A. VC12, North Hampshire (Unknown) AB - co-author of 'TI Brewis, Lady A.B.M., Bowman, R.P. & Ros AB - Ann, BSBI VC1 AB - co-author of 'TI Brewis, Lady A.B.M., Bowman, R.P. & Ros AB - Ann, BSBI VC1 AB - Ann, BSBI VC1
	Also referred to as record in lower case. A single instance of the collection of data items that makes up one entry in a database Table or a Query .
Schedule	A scheme for listing a set of Taxa which is a subset of the full species group, selected on user-configurable criteria.
Site	A geographical location associated with Records , Recorders and other entities in the MapMate database.
Software Update	An enhancement or remedial change to the core MapMate software, delivered from the MapMate Web site and installed using the Smart Software Update facility in the Replicator .
Special Map	A predefined map designed to show statistics about the data held in the MapMate database.
Species Checklist	A list of species names defined as a hierarchical tree of biological classifications running from Domain and Kingdom down to sub-species and varieties.
SQL	(Structured Query Language.) A computer language designed specifically for retrieving and manipulating data held in databases.
Sync File	A file of instructions to propagate and update records from one Exchange Partner 's MapMate database to another's, generated by the Synchronisation process.
Synchronisation	The process of sending and receiving a Sync File which will bring a receiving Exchange Partner 's copy of the MapMate database into line with the sending Exchange Partner. It is carried out by the Replicator program according to the Filters which may constrain what is exchanged between them.
Table	A database entity designed to hold many Rows of information all of which share a common structure, ordering and data format, as specified by the definition of their Columns (Fields).
Таха	Taxonomic entities defined within a hierarchical classification scheme; a general term covering all items at any level of the hierarchy. The hierarchy implemented by MapMate can be viewed using the View / Species Checklist facility from the MapMate main menu.
Upload	The transmission of a Sync File to an Exchange Partner either via the MapMate Web site or by methods directly controlled by the user such as email or physical media.

Wildcard	A special character in a string of characters that stands in for one or more occurrences of any character. In MapMate, the '%' character stands in for any other single character, and the '*' character stands in for an arbitrarily long sequence of any other characters.
Wizard	A sequence of one or more forms by which a user specifies new data, or an operation to be carried out on data, through a series of fill-in items and selectable options.